



Built to Elevate. Designed for Safety.

SALES RENTAL MANUFACTURER OF **ALUMINIUM & FRP LADDERS**



PAN INDIA: Delhi NCR, Mohali, Lucknow, Kolkata, Coimbatore
Bhubaneshwar, Guwahati, Mumbai, Pune, Ahmedabad, Indore,
Nagpur, Bangalore, Chennai, Visakhapatnam, Hyderabad

+91-9859857100

info@msafegroup.com

www.msafegroup.com





FRP 'A' TYPE TWIN SIDE LADDER

Load Capacity: 150 kg | Step Distance: 300 mm | C Section

Model No.	ACT/FRP-4	ACT/FRP-6	ACT/FRP-8	ACT/FRP-10	ACT/FRP-12
No. of Step + Platform	3+1	5+1	7+1	9+1	11+1
Platform Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Ladder Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Working Height (Ft.)	8.1	10.1	11.9	13.8	15.7



FRP 'A' TYPE SINGLE SIDE LADDER

Load Capacity: 150 kg | Step Distance: 300 mm | C Section

Model No.	ACS/FRP-4	ACS/FRP-6	ACS/FRP-8	ACS/FRP-10	ACS/FRP-12
No. of Step + Platform	3+1	5+1	7+1	9+1	11+1
Platform Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Ladder Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Working Height (Ft.)	8.1	10.1	11.9	13.8	15.7



FRP 'A' TYPE STOOL TWIN SIDE LADDER

Load Capacity: 150 kg | Step Distance: 300 mm | C Section


Model No.	ASCT/FRP-4	ASCT/FRP-6	ASCT/FRP-8	ASCT/FRP-10	ASCT/FRP-12
No. of Step + Platform	3+1	5+1	7+1	9+1	11+1
Platform Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Ladder Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Working Height (Ft.)	8.1	10.1	11.9	13.8	15.7



FRP 'A' TYPE STOOL SINGLE SIDE LADDER

Load Capacity: 150 kg | Step Distance: 300 mm | C Section

Model No.	ASCS/FRP-4	ASCS/FRP-6	ASCS/FRP-8	ASCS/FRP-10	ASCS/FRP-12
No. of Step + Platform	3+1	5+1	7+1	9+1	11+1
Platform Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Ladder Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Working Height (Ft.)	8.1	10.1	11.9	13.8	15.7



FRP STRAIGHT LADDER

Load Capacity: 150 kg | Step Distance: 300 mm | D Rung

Model No.	SCDL/FRP-6	SCDL/FRP-8	SCDL/FRP-10	SCDL/FRP-12	SCDL/FRP-14	SCDL/FRP-16	SCDL/FRP-18	SCDL/FRP-20
No. of Step	5	7	9	11	13	15	17	19
Standing Height (Ft.)	3.2-4.2	5.2-6.2	7.1-8.1	9.1-10.1	11.1-12.1	13-14	15-16	17-18
Ladder Height (Ft.)	6.2	8.2	10.1	12.1	14.1	16	18	20
Working Height (Ft.)	9.2-10.2	11.2-12.2	13.1-14.1	15.1-16.1	17.1-18.1	19-20	21-22	23-24



FRP EXTENSION LADDER

Load Capacity: 150 kg | Step Distance: 300 mm | D Rung

Model No.	EXTL/ FRP-5X2	EXTL/ FRP-6X2	EXTL/ FRP-8X2	EXTL/ FRP-10X2	EXTL/ FRP-12X2	EXTL/ FRP-14X2	EXTL/ FRP-16X2
No. of Step	10	12	16	20	24	28	32
Standing Height (Ft.)	4	6	10	14	18	22	26
Ladder Height (Ft.)	7	9	12	17	21	25	29
Working Height (Ft.)	11	13	17	21	25	29	33



FRP PLATFORM LADDER

Load Capacity: 150 kg | Step Distance: 300 mm | Cage: 2 Feet

Model No.	FPSL/ FRP-3	FPSL/ FRP-4	FPSL/ FRP-5	FPSL/ FRP-6	FPSL/ FRP-7	FPSL/ FRP-8	FPSL/ FRP-9	FPSL/ FRP-10	FPSL/ FRP-11	FPSL/ FRP-12
No. of Step + Platform	3+1	4+1	5+1	6+1	7+1	8+1	9+1	10+1	11+1	12+1
Platform Height (Ft.)	3.6	4.6	5.5	6.4	7.3	8.3	9.2	10.1	11	12
Ladder Height (Ft.)	5.7	6.7	7.6	8.5	9.4	10.4	11.3	12.2	13.1	14.1
Working Height (Ft.)	9.6	10.6	11.5	12.4	13.9	14.3	15.2	16.1	17.0	16



FRP MEGA PLATFORM LADDER

Load Capacity: 150 kg | Step Distance: 250 mm | Cage: 3 Feet

Model No.	MGPL/ FRP-3	MGPL/ FRP-4	MGPL/ FRP-5	MGPL/ FRP-6	MGPL/ FRP-7	MGPL/ FRP-8	MGPL/ FRP-9	MGPL/ FRP-10	MGPL/ FRP-11	MGPL/ FRP-12
No. of Step + Platform	3+1	4+1	5+1	6+1	7+1	8+1	9+1	10+1	11+1	12+1
Platform Height (Ft.)	3.1	3.8	4.6	5.4	6.1	6.9	7.7	8.5	9.2	10
Ladder Height (Ft.)	6.1	6.8	7.6	8.4	9.1	9.9	10.7	11.5	12.2	13
Working Height (Ft.)	9.1	9.8	10.6	11.4	12.1	12.9	13.7	14.5	15.2	16



FRP WHEEL LADDER

Load Capacity: 150 kg | Step Distance: 250 mm

Model No.	WHSL/ FRP-3	WHSL/ FRP-4	WHSL/ FRP-5	WHSL/ FRP-6	WHSL/ FRP-7	WHSL/ FRP-8	WHSL/ FRP-9	WHSL/ FRP-10	WHSL/ FRP-11	WHSL/ FRP-12
No. of Step + Platform	3+1	4+1	5+1	6+1	7+1	8+1	9+1	10+1	11+1	12+1
Platform Height (Ft.)	3.1	3.8	4.6	5.4	6.1	6.9	7.7	8.5	9.2	10
Ladder Height (Ft.)	6.1	6.8	7.6	8.4	9.1	9.9	10.7	11.5	12.2	13
Working Height (Ft.)	9.1	9.8	10.6	11.4	12.1	12.9	13.7	14.5	15.2	16



FRP WAREHOUSE LADDER

Load Capacity: 150 kg | Step Distance: 300 mm

Model No.	WRSL/ FRP-3	WRSL/ FRP-4	WRSL/ FRP-5	WRSL/ FRP-6	WRSL/ FRP-7	WRSL/ FRP-8	WRSL/ FRP-9	WRSL/ FRP-10	WRSL/ FRP-11
No. of Step + Platform	3+1	4+1	5+1	6+1	7+1	8+1	9+1	10+1	11+1
Platform Height (Ft.)	4.3	5.3	6.2	7.1	8.1	8.9	9.8	10.8	11.7
Ladder Height (Ft.)	6.7	7.7	8.6	9.5	10.1	11.4	12.3	13.2	14.1
Working Height (Ft.)	10.3	11.3	12.2	13.1	14.1	14.9	15.8	16.8	17.7

ALUMINIUM 'A' TYPE TWIN SIDE LADDER

Load Capacity: 150 kg | Step Distance: 300 mm

Model No.	ACT/ALU-4	ACT/ALU-6	ACT/ALU-8	ACT/ALU-10	ACT/ALU-12
No. of Step + Platform	3+1	5+1	7+1	9+1	11+1
Platform Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Ladder Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Working Height (Ft.)	8.1	10.1	11.9	13.8	15.7

ALUMINIUM 'A' TYPE SINGLE SIDE LADDER

Load Capacity: 150 kg | Step Distance: 300 mm

Model No.	ACS/ALU-4	ACS/ALU-6	ACS/ALU-8	ACS/ALU-10	ACS/ALU-12
No. of Step + Platform	3+1	5+1	7+1	9+1	11+1
Platform Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Ladder Height (Ft.)	4.1	6.1	7.9	9.8	11.7
Working Height (Ft.)	8.1	10.1	11.9	13.8	15.7

ALUMINIUM STRAIGHT LADDER WITH HANDRAIL

Load Capacity: 150 kg | Step Distance: 300 mm | D Rung

Model No.	SWH/ALU-6	SWH/ALU-8	SWH/ALU-10	SWH/ALU-12	SWH/ALU-14	SWH/ALU-16	SWH/ALU-18	SWH/ALU-20
No. of Step	5	7	9	11	13	15	17	19
Standing Height (Ft.)	3.2-4.2	5.2-6.2	7.1-8.1	9.1-10.1	11.1-12.1	13-14	15-16	17-18
Ladder Height (Ft.)	6.2	8.2	10.1	12.1	14.1	16	18	20
Working Height (Ft.)	9.2-10.2	11.2-12.2	13.1-14.1	15.1-16.1	17.1-18.1	19-20	21-22	23-24

ALUMINIUM STRAIGHT LADDER WITHOUT HANDRAIL

Load Capacity: 150 kg | Step Distance: 300 mm | D Rung

Model No.	SWO/ALU-6	SWO/ALU-8	SWO/ALU-10	SWO/ALU-12	SWO/ALU-14	SWO/ALU-16	SWO/ALU-18	SWO/ALU-20
No. of Step	5	7	9	11	13	15	17	19
Standing Height (Ft.)	3.2-4.2	5.2-6.2	7.1-8.1	9.1-10.1	11.1-12.1	13-14	15-16	17-18
Ladder Height (Ft.)	6.2	8.2	10.1	12.1	14.1	16	18	20
Working Height (Ft.)	9.2-10.2	11.2-12.2	13.1-14.1	15.1-16.1	17.1-18.1	19-20	21-22	23-24

ALUMINIUM EXTENSION LADDER

Load Capacity: 150 kg | Step Distance: 300 mm | D Rung

Model No.	EXTL/ALU-5X2	EXTL/ALU-6X2	EXTL/ALU-8X2	EXTL/ALU-10X2	EXTL/ALU-12X2	EXTL/ALU-14X2	EXTL/ALU-16X2
No. of Step	10	12	16	20	24	28	32
Standing Height (Ft.)	4	6	10	14	18	22	26
Ladder Height (Ft.)	7	9	12	17	21	25	29
Working Height (Ft.)	11	13	17	21	25	29	33



ALUMINIUM STOOL LADDER

Model No.	No. of Step + Platform	Platform Height (Ft.)	Ladder Height (Ft.)	Working Height (Ft.)
ASL/ALU-1	1+1	1.87	3.77	7.87



ALUMINIUM WAREHOUSE LADDER

Load Capacity: 150 kg | Step Distance: 300 mm

Model No.	WRSL/ ALU-3	WRSL/ ALU-4	WRSL/ ALU-5	WRSL/ ALU-6	WRSL/ ALU-7	WRSL/ ALU-8	WRSL/ ALU-9	WRSL/ ALU-10	WRSL/ ALU-11
No. of Step + Platform	3+1	4+1	5+1	6+1	7+1	8+1	9+1	10+1	11+1
Platform Height (Ft.)	4.3	5.3	6.2	7.1	8.1	8.9	9.8	10.8	11.7
Ladder Height (Ft.)	6.7	7.7	8.6	9.5	10.1	11.4	12.3	13.2	14.1
Working Height (Ft.)	10.3	11.3	12.2	13.1	14.1	14.9	15.8	16.8	17.7



ALUMINIUM HULK LADDER

Load Capacity: 150 kg | Step Distance: 250 mm

Model No.	HLK/ ALU-3	HLK/ ALU-4	HLK/ ALU-5	HLK/ ALU-6	HLK/ ALU-7	HLK/ ALU-8	HLK/ ALU-9	HLK/ ALU-10	HLK/ ALU-11	HLK/ ALU-12
No. of Step + Platform	3+1	4+1	5+1	6+1	7+1	8+1	9+1	10+1	11+1	12+1
Platform Height (Ft.)	3.1	3.8	4.6	5.4	9.1	6.9	7.7	8.5	9.2	10
Ladder Height (Ft.)	6.1	6.8	7.6	8.4	12.1	9.9	10.7	11.5	12.2	13
Working Height (Ft.)	9.1	9.8	10.6	11.4	17.7	12.9	13.7	14.5	15.2	16



ALUMINIUM COMBINATION LADDER WITHOUT HANDRAIL

Model No.	COMB/ALU-2	COMB/ALU-2.5	COMB/ALU-3
No. of Steps Overlap	4	4	4
Standing Height (Ft.)	4.3	8.1	11.6
Opened Ladder Height (Ft.)	7.9	11.7	15.5
Closed Ladder Height (Ft.)	6.1	8.1	10.1
Working Height (Ft.)	9.2	13.1	16.6



ALUMINIUM MULTIPURPOSE LADDER

Model No.	MUL/ALU-2	MUL/ALU-3	MUL/ALU-4	MUL/ALU-5	MUL/ALU-6
No. of Step	4x2	4x3	4x4	4x5	4x6
A (mm)	350	350	350	350	350
B (mm)	670	950	1230	1510	1790
C (mm)	1200	1730	2260	2790	3320
D (mm)	2420	3540	4660	5780	6900

NORTH

Regd. Office (Delhi)
F-311, 3rd Floor, Aditya Arcad,
Plot No. 30, Community
Center, Preet Vihar, East
Delhi, Delhi, India, 110092

Corp. Office (Noida)
A-57, 7th Floor, Let's
Connect Business Park,
Sector-136, Noida- 201301

Corp. Office (Noida)
C-108, Ground Floor
Sector-2, Noida,
Uttar Pradesh- 201301

Factory (Gr. Noida)
G-103, Unit-2, Site- V,
Kasna, Gautam Buddha
Nagar, Greater Noida,
Uttar Pradesh- 201306

Lucknow Office
Plot No.11, KH No. 3533,
Sarojini Nagar, Gindan
Khera, Lucknow, Uttar
Pradesh- 226008

Mohali Office
Pavitrnam Tuber Pvt Ltd,
Derabassi, Near Nimbua
Greenfield Ltd, Nimbuan,
SAS Nagar, Punjab- 140507

Factory (Gr. Noida)
K-446 Site- 5, Kasna,
Industrial Area, Gautam
Buddha Nagar, Greater Noida,
Uttar Pradesh-201306

EAST

Kolkata
Khaitan No. 4552, J.L. No.102,
L.R. DAG No. 2761 & 2762,
Bansai Kol Dham Kanaipur,
Hooghly, West Bengal-712234

Bhubaneswar
Plot No. 462/533/853, Khata
No. 290, PS-Chandaka,
Bhagabatipur Dist. Khordha,
Bhubaneswar, Orissa-752054

Guwahati
Ground Floor Patta No 91 Old,147 New
Boragaon Mouza Bettola Avenue,
Village Kamrup Metropolitan,
Guwahati, Assam-781035

WEST

Corp. Office (Mumbai)
No.28, Bluerose industrial
estate Western express
highway Borivali east
Mumbai 400066

Mumbai Yard
Shop No. A-3, Rhytham
Developers, Usatane Village,
Kalyan East, Thane, Mumbai,
Maharashtra- 421306

Pune
Maui Warehouse, Gate No. 143, Opp.
Om Logistics Pune Nasik Road
Chimbali Phata Mauje Kuruli Chakan,
Pune, Maharashtra-410501

Nagpur
Godown No-7, Ground Floor, H.No.- 2915,
Ward No- 4, Sariputra Society, Vikash
Nagar, Khadgoan Road, Dattawadi,
Nagpur, Maharashtra-440023

Ahmedabad
5 Sur No- 191,192,193,194,195/1, Paiki
Bagba Green, Opp. Narimanpuragam
Dholka Road Fatehvadi, Ahmedabad,
Gujarat- 382210

Indore
Plot No. 78-79, Ram Ratan
Colony, Pithampura, Dhar,
Pithampura, Madhya
Pradesh-454774

SOUTH

Coimbatore
Sf.593/5, Kuruchi Carmel
Nagar, Kurichy Madukarai,
Podanur, Coimbatore,
Tamil Nadu- 641021

Chennai
S/No. 102/3a2,
Vasanthapuri-I, Malayam
Bakkam, Thiruvallur,
Chennai, Tamil Nadu-600123

Hyderabad
Ground Floor, Door No. 7-3-145/3/32,
Zone-4, Sub Zone B, Situated at
Gagan Pahad, Katedhan, Ranga
Reddy, Telangana- 500052

Vishakhapatnam
7-10-41/1, Panthulugari
Meda Gajuwaka,
Visakhapatnam, Andhra
Pradesh- 530026

Bangalore
CSite No. 3260, 1st
Block, Sir M.V. Layout,
Bengaluru,
Karnataka- 560056

UAE
203, Al Bahar Building,
Al Khabeesi, Deira,
Dubai, United Arab
Emirates

EXPANDING