MSAFE
PROTECT THE PEOPLE

BUILT STRONG.
BUILT SAFE.

Sales, Manufacturing & Rentals of Aluminium and MS Scaffoldings, Aluminium and FRP Ladders.



www.msafegroup.com

MSAFE FIT
Stairway Scaffolding (MST) (1.35m x 1.80m)

MSafe Fit Stairway version is a safe, comfortable modular mobile scaffold tower to reach the work area for frequent climbing and descent.



SCAFFOLD SIZE 1.35m X 1.8m

Model Number	MST034	MST045	MST054	MST065	MST074	MST085	MST094	MST105	MST114	MST125	MST134	MST145	MST154	MST165	MST174
Working Height (m)	4.4	5.5	6.4	7.5	8.4	9.5	10.4	11.5	12.4	13.5	14.4	15.5	16.4	17.5	18.4
Tower Height (m)	3.4	4.5	5.4	6.5	7.4	8.5	9.4	10.5	11.4	12.5	13.4	14.5	15.4	16.5	17.4
Platform Height (m)	2.4	3.5	4.4	5.5	6.4	7.5	8.4	9.5	10.4	11.5	12.4	13.5	14.4	15.5	16.4

Standard Features


- Scaffolding Width: 1.35m, Length: 1.80m.
- Working heights can be extended from 4.4m to max 18.4m with standard parts.
- Comfortable entry into the scaffolding from outside through the wide entry frame.
- Anti-slip stairway steps.
- 200 kg/m^2 loading capacity i.e. depending on platform size from 480 kg/m^2 to max 810 kg/m^2.
- The free standing height for scaffold is 12.4m inside and 8.4m outside as per safety norms.



Entry Frame (W-1.35m) (H-2m)



Push on Frame (W-1.35m) (H-2m)



200mm Fixed Wheel



Stairway 1.8m



200mm Adjustable Wheel


*Use scaffold as per instruction manual only.

MSAFE
PROTECT THE PEOPLE

Great businesses are built on the
strength, safety
and **trust** that rise higher
with every **structure.**

MSAFE FIT
Extra Reach Scaffolding (MSER) (1.35m x 1.80m)

MSafe Fit extra reach version is a safe, modular mobile scaffold tower to reach extra height. Working height can be extended from 14.4m to 30.4m with standard parts.



Standard Features


- Scaffolding Width: 1.35m
- Scaffolding Length: 1.80m
- Working heights can be extended from 14.4m to 30.40m with standards part.
- Comfortable entry into the scaffolding from outside through the wide entry frame.
- Anti-slip stairway steps.


SCAFFOLD SIZES

Model Number	MSER134	MSER145	MSER154	MSER165	MSER174	MSER185
Working Height (m)	14.4	15.5	16.4	17.5	18.4	19.5
Tower Height (m)	13.4	14.5	15.4	16.5	17.4	18.5
Platform Height (m)	12.4	13.5	14.4	15.5	16.4	17.5

Model Number	MSER194	MSER205	MSER214	MSER225	MSER234	MSER245
Working Height (m)	20.4	21.5	22.4	23.5	24.4	25.5
Tower Height (m)	19.4	20.5	21.4	22.5	23.4	24.5
Platform Height (m)	18.4	19.5	20.4	21.5	22.4	23.5

Model Number	MSER254	MSER265	MSER274	MSER285	MSER294
Working Height (m)	26.4	27.5	28.4	29.5	30.4
Tower Height (m)	25.4	26.5	27.4	28.5	29.4
Platform Height (m)	24.4	25.5	26.4	27.5	28.4


Stabilizers


Mobile Stabilizers Assy



Toe Board

*Use scaffold as per instruction manual only.

MSAFE FIT
Narrow Scaffolding
(MN) (0.75m x 1.8m)

MSafe Fit narrow version is a safe, comfortable mobile scaffold tower.
It can be used to reach narrow and difficult work places.

SCAFFOLD SIZE 0.75m X 1.8m

Model Number	MN022	MN026	MN028	MN032	MN043	MN052	MN063	MN072	MN083	MN092	MN103	MN112	MN123
Working Height (m)	3.2	3.6	4.2	4.2	5.3	6.2	7.3	8.2	9.3	10.2	11.3	12.2	13.3
Tower Height (m)	2.2	2.6	2.8	3.2	4.3	5.2	6.3	7.2	8.3	9.2	10.3	11.2	12.3
Platform Height (m)	1.2	1.6	2.2	2.2	3.3	4.2	5.3	6.2	7.3	8.2	9.3	10.2	11.3

Standard Features

- Scaffolding Width: 0.75m, Length: 1.80m.
- Working heights can be extended from 4.2m to max 13.5m.
- 200 kg/m² loading capacity i.e. depending on platform size from 270 kg/m² to max 810 kg/m²
- The free standing height for scaffold is 12.3m inside and 8.3m outside as per safety norms.
- Monkey climbing arrangements.



Platform



Push on Frame (W-0.75m) (H-2m)



150mm Fixed Wheel



MN022



MN032




MN052

*Use scaffold as per instruction manual only.

ECO Z - Type

- Z Type aluminum scaffolding are special customized tower with affordable price.
- Available in two different type of frames with rung spacing 280mm and 560mm as per load requirement and budget.





Bridge Section

- Msafe Fit bridge Scaffold are used for bigger working platform and to work across obstructions.
- Available from width size 2.5m to 6.2m

Without Stairway Scaffolding

- Working height can be extended from 4.4m to max 16.4m.
- Loading capacity 200 kg/m^2 on platform.





Cantilever Both Sides

- A cantilever section can be added to reach additional distance not reachable by straight access
- Available in 0.75m and 1.35m options.



Double Width (MLF) Ladder Frame Version 1.45m X 2.5m



MSAFE Fit Podium Indoor Solution



Single Width (MLN) Ladder Frame Version 0.85m X 1.80m



JEWAR AIRPORT



SOLAR PLANT, JAMNAGAR



METRO TUNNEL, CHENNAI

MSAFE
PROTECT THE PEOPLE



Our Locations / Yards

NORTH

Delhi-NCR,
Regd. Office: F-311, 3rd Floor Aditya Arcade, Plot No. 30,

Corporate Office: A-57, 7th Floor, Let's Connect Business Park, Sector-136 Noida - 201301

Factory: G - 103, Site 5, Kasna Rd, Industrial Area, Greater Noida, Uttar Pradesh - 201306

Factory: K-446, Industrial Unit, Surajpur Site V Upsida, Industrial Area, Noida, Gautam Buddha Nagar, Uttar Pradesh 201306

Lucknow : Plot No 11 Kh No 3533, Sarojini Nagar, Gindan Khera.

Punjab : Om Ji Complex, 0-I Complex Godown Area Bhabat Bhabat Zirakpur, Punjab – 140603

Jaipur : 19, Shree Dev Nagar, Harmada, Jaipur, Rajasthan, 302013

EAST

Kolkata : J L No. 96, R.S KH No.219, L.R.KH No. 2-414-1, Moza Kharial PS Coalcomlx Santra Para Kharial, Dakuni, Hooghly, West Bengal - 712311

Bhubaneswar : Plot No. 462 / 533 / 853, Khata No. 290, PS Chandaka, Bhagabatipur, Dist Khordha, Bhubaneswar, Orissa - 752054

Guwahati : Ground Floor, Patta No 91 Old/147 New, Boragaon. Mouza Bettola, Revenue Village, Guwahati, Kamrup Metropolitan, Assam 781035

WEST

Mumbai :
Office: No.28, Bluerose Industrial Estate Western Express Highway Borivali East, Mumbai 400066
Yard: Shop no: A-3, Rhytham Developers, Usatane Village, Kalyan East, Thane, Maharashtra 421306

Pune : Mauli Warehouse, Gate No. 143, Opp Om Logistics, Pune - Nashik Road, Chimbali, Chimbali Phata, Mauje Kuruli, Chakan, Pune, Maharashtra - 410501

Ahmedabad : 5 Sur No. 191, 192, 193, 194, 195/1, Paiki Bagba Green, Opp. Narimanpuragam, Dholka Road, Fatehvadi, Ahmedabad, Gujarat - 382210

Nagpur : Godown No. 7, Ground Floor, H. No. 2915,Ward No. 4, Sariputra Society, Vikash Nagar, Khadgoan Road, Dattawadi, Nagpur, Maharashtra - 440023

Indore : Housingh Chouraha, Pithampur, Madhya Pradesh 454775

SOUTH

Chennai :
S/No. 102/3A2, Vasanthapuri-I, Malayam Bakkam, Thiruvallur, Chennai, Tamil Nadu, 600123

Bangalore :
Site No: 3260, 1st Block, Sir MV Layout Bangaluru, Karnataka - 560056

Visakhapatnam :
7-10-41/1, Panthulugari Meda Gajuwaka,Visakhapatnam, Andhra Pradesh 530026

Hyderabad :
Ground Floor, Door No. 7-3145/3/32, Zone-4,Sub Zone B, Situated at Gagan Pahad, Katedhan Ranga, Reddy Dist, Hyderabad, Telangana 500052

Coimbatore :
SF.593/5 Kuruchi Carmel Nagar, Kurichy Madukarai, Podanur, Coimbatore,Tamil Nadu, 641021

INDIA:
+91 985-985-7100
info@msafegroup.com

www.msafegroup.com